



















- Ching, K. (2012). Deep and fast: Kerr's SonicFill bulk fill composite. *HDA Now*, 24-25.
- Corciolani, G., A. Vichi, C. L. Davidson and M. Ferrari (2008). The influence of tip geometry and distance on light-curing efficacy. *Oper Dent* 33(3), 325-331.
- Czasch, P. and N. Ilie (2013). In vitro comparison of mechanical properties and degree of cure of bulk fill composites. *Clin Oral Investig* 17(1), 227-235.
- de Camargo, E. J., E. Moreschi, W. Baseggio, J. A. Cury and R. C. Pascotto (2009). Composite depth of cure using four polymerization techniques. *J Appl Oral Sci* 17(5), 446-450.
- Durner, J., J. Obermaier, M. Draenert and N. Ilie (2012). Correlation of the degree of conversion with the amount of elutable substances in nano-hybrid dental composites. *Dent Mater* 28(11), 1146-1153.
- Flury, S., S. Hayoz, A. Peutzfeldt, J. Husler and A. Lussi (2012). Depth of cure of resin composites, is the ISO 4049 method suitable for bulk fill materials? *Dent Mater* 28(5), 521-528.
- Frauscher, K. E. and N. Ilie (2012). Depth of cure and mechanical properties of nanohybrid resin-based composites with novel and conventional matrix formulation. *Clinical Oral Investigations* 16(5), 1425-1434.
- Garcia, D., P. Yaman, J. Dennison and G. Neiva (2014). Polymerization shrinkage and depth of cure of bulk fill flowable composite resins. *Oper Dent* 39(4), 441-448.
- Harrington, E. and H. J. Wilson (1993). Depth of cure of radiation-activated materials-effect of mold material and cavity size. *J Dent* 21(5), 305-311.
- He, Z., Y. Shimada and J. Tagami (2007). The effects of cavity size and incremental technique on microtensile bond strength of resin composite in Class I cavities. *Dent Mater* 23(5), 533-538.
- ISO (2009). ISO 4049 Dentistry-Polymer-based filling, restorative and luting materials .
- Jang, J. H., S. H. Park and I. N. Hwang (2015). Polymerization shrinkage and depth of cure of bulk-fill resin composites and highly filled flowable resin. *Oper Dent* 40(2), 172-180.
- Leprince, J. G., P. Leveque, B. Nysten, B. Bellez, J. Devaux and G. Leloup (2012). New insight into the depth of cure of dimethacrylate-based dental composites. *Dent Mater* 28(5), 512-520.
- Moore, B. K., J. A. Platt, G. Borges, T. M. Chu and T. Katsilieri (2008). Depth of cure of dental resin composites, ISO 4049 depth and microhardness of types of materials and shades. *Oper Dent* 33(4), 408-412.
- Nitta, K. (2005). Effect of light guide tip diameter of LED-light curing unit on polymerization of light-cured composites. *Dent Mater* 21(3), 217-223.
- Nomoto, R., J. F. McCabe and S. Hirano (2004). Effect of aperture size on irradiance of LED curing units. *Dent Mater* 20(7), 687-692.
- Price, R. B., T. Derand, M. Sedarous, P. Andreou and R. W. Loney (2000). Effect of distance on the power density from two light guides. *J Esthet Dent* 12(6), 320-327.
- Price, R. B., F. A. Rueggeberg, J. Harlow and B. Sullivan (2016). Effect of mold type, diameter, and uncured composite removal method on depth of cure. *Clin Oral Investig* 20(7), 1699-1707.
- Rueggeberg, F. A., J. W. Ergle and D. J. Mettenburg (2000). Polymerization depths of contemporary light-curing units using microhardness. *J Esthet Dent* 12(6), 340-349.
- Shawket, E. S., A. C. Shortall, O. Addison and W. M. Palin (2009). Oxygen inhibition and incremental bond strengths of resin composites. *Dent Mater* 25(11), 1338-1346.
- Tsai, P. C. L., I. A. Meyers and L. J. Walsh (2004). Depth of cure and surface microhardness of composite resin cured with blue LED curing lights. *Dental Materials* 20(4), 364-369.
- Vivadent, I. (2014). Tetric EvoCeram(R) Bulk fill, simplifies composite restoration placement, increases efficiency. *Compend Contin Educ Dent* 35(6), 432.